

**CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC**Product  
Produit

Switch mode power supply

Name and address of the applicant  
Nom et adresse du demandeurEOS Power India PVT Ltd.  
Unit #57, SDF II, Seepz-Sez Andheri (E)  
Mumbai-400 096  
IndiaName and address of the manufacturer  
Nom et adresse du fabricantEOS Power India PVT Ltd.  
Unit #57, SDF II, Seepz-Sez Andheri (E)  
Mumbai-400 096  
IndiaName and address of the factory  
Nom et adresse de l'usineEOS Power India PVT Ltd.  
Unit #57, SDF II, Seepz-Sez Andheri (E)  
Mumbai-400 096  
IndiaNote: When more than one factory, please report on page 2  
Note: Lorsque il y a plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales6.2A 100-240V AC 47-63Hz  
Output: see Test Report  
CI.ITrademark (if any)  
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeurModel / Type Ref.  
Ref. De type

LFWLT450-ZXXX-YYY-V-U

Additional information (if necessary may also be  
reported on page 2) Additional information on page 2Les informations complémentaires (si nécessaire,  
peuvent être indiqués sur la deuxième pageA sample of the product was tested and found  
to be in conformity withUn échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part  
of this Certificate

246663

Comme indiqué dans le Rapport desais numéro de  
référence qui constitue partie de ce CertificatThis CB Test Certificate is issued by the National Certification Body  
Ce Certificat desai OC est établi par l'Organisme **National de Certification**Gaustadalléen 30  
NO-0373 Oslo, Norway

Date: 04-02-2014

Signature: Skule Moe  
Certification Department

**Additional information(if necessary)****Information complémentaire (si nécessaire)**

Model explanation: Z is 1, denoting the number of main outputs,X is any number denoting output configurations (output voltage and current ratings); Y may be FC1 to denote the specialized input/output PCB configuration used with S-type bottom Uchannel and no top enclosure cover, or any alphanumeric character or blank used to identify variants/derivatives of base model with no changes or with minor secondary changes which do not affect the safety construction, critical components list or output power rating; V may be I or blank: I denoting a power supply with the 'OR-ing' capability, and blank denoting a power supply without the 'OR-ing' capability. U may be S or T or blank: S denoting a power supply with a side-mounted fan and enclosure cover and IEC 60320-1 type appliance inlet connector; T denoting a power supply with a top-mounted fan and enclosure cover, and blank denoting the standard base model; only bottom U-channel type with no added fan.



Gaustadalléen 30  
NO-0373 Oslo, Norway

Date: 04-02-2014

Signature: Skule Moe  
Certification Department