

## UL TEST REPORT AND PROCEDURE

|                                    |   |     |       |       |
|------------------------------------|---|-----|-------|-------|
| <b>Standard:</b>                   | UL 60950-1, 2nd Edition, 2007-03-27 (Information Technology Equipment - Safety - Part 1: General Requirements)<br>CSA C22.2 No. 60950-1-07, 2nd Edition, 2007-03 (Information Technology Equipment - Safety - Part 1: General Requirements)   |     |       |       |
| <b>Certification Type:</b>         | Component Recognition   |     |       |       |
| <b>CCN:</b>                        | QQGQ2, QQGQ8 (Power Supplies for Information Technology Equipment Including Electrical Business Equipment)  |     |       |       |
| <b>Product:</b>                    | Switch Mode Power Supply, Built-In AC/DC for use in ITE   |     |       |       |
| <b>Model:</b>                      | LFWLT200 Series,<br>Models<br>LFWLT200-1XX0-YYY-W,<br>LFWLT200-1XX1-YYY-W,<br>LFWLT200-1XX2-YYY-W,<br>LFWLT200-1XX3-YYY-W,<br>LFWLT200-1XX4-YYY-W,<br>Where,<br>X = Any numeric from 0-9,<br>Y = Any alphanumeric or blank, denoting minor output variation and/or minor SELV circuit variation,<br>W = 2 or blank, 2 denotes Class II and blank denotes Class I. |     |       |       |
| <b>Rating:</b>                     | Input: 100-240 Vac, 3 A Max, 47-63 Hz   |     |       |       |
|                                    | Output:   |     |       |       |
|                                    | 300 lfm External Cooling  |     |       |       |
|                                    |   | Vdc | A     | Max W |
|                                    | LFWLT200-1XX0-YYY-W   | 5   | 35    | 175   |
|                                    | LFWLT200-1XX1-YYY-W   | 12  | 16.67 | 200   |
|                                    | LFWLT200-1XX2-YYY-W   | 15  | 13.33 | 200   |
|                                    | LFWLT200-1XX3-YYY-W   | 24  | 8.33  | 200   |
|                                    | LFWLT200-1XX4-YYY-W   | 48  | 4.17  | 200   |
|                                    | Convection Cooling  |     |       |       |
|                                    |   | Vdc | A     | Max W |
|                                    | LFWLT200-1XX0-YYY-W   | 5   | 26    | 130   |
|                                    | LFWLT200-1XX1-YYY-W   | 12  | 13.33 | 160   |
|                                    | LFWLT200-1XX2-YYY-W   | 15  | 10.67 | 160   |
|                                    | LFWLT200-1XX3-YYY-W   | 24  | 6.17  | 160   |
|                                    | LFWLT200-1XX4-YYY-W   | 48  | 3.33  | 160   |
|                                    | For all models, +12Vdc, 0.5A (Fan Output) & +5Vdc, 1A (Standby output).<br>Output power derated 2.5 W/°C above 50°C (up to 70°C), with external or convection cooling.  |     |       |       |
| <b>Applicant Name and Address:</b> | EOS POWER INDIA PVT LTD<br>UNIT 57 SDF-II<br>SEEPZ ANDHERI (E)<br>MUMBAI MH 400096 INDIA  |     |       |       |

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of Underwriters Laboratories Inc. ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.

Prepared by: William Barry  
Underwriters Laboratories Inc.

Reviewed by: Kevin Tang  
Underwriters Laboratories Inc.

