

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OCProduct
Produit

Medical Power Supply (for building-in)

Name and address of the applicant
Nom et adresse du demandeurEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaName and address of the manufacturer
Nom et adresse du fabricantEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaName and address of the factory
Nom et adresse de l'usineEOS Power India PVT Ltd.
Unit #57, SDF II, Seepz-Sez, Andheri (East)
Mumbai 400 096
IndiaNote: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principales6.2A 100-240V AC 47-63Hz, Cl. I
Output: 450W MaxTrademark (if any)
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeurModel / Type Ref.
Ref. De type

LFMWLT450-ZXXX-YYY-V-U

Additional information (if necessary may also be reported on page 2)

 Additional information on page 2

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60601-1(ed.3);am1

As shown in the Test Report Ref. No. which forms part of this Certificate

294717

Comme indiqué dans le Rapport des essais numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**Gaustadalléen 30
NO-0373 Oslo, Norway

Date: 16-12-2015

Signature: Juan Z. Kleppenes
Certification Department

Additional information(if necessary)**Information complémentaire (si nécessaire)**

DC output see the test report. Z is 1, denoting the number of main outputs. X is any number denoting output configurations (output voltage and current ratings); Y may be FC1 to denote the specialized input/output PCB configuration used with S-type bottom U-channel and no top enclosure cover, or any alphanumeric character or blank used to identify variants/derivatives of base model with no changes or with minor secondary changes which do not affect the safety construction, critical components list or output power rating; V may be I or blank: I denoting a power supply with the 'OR-ing' capability, and blank denoting a power supply without the 'OR-ing' capability. U may be S or T or blank: - S denoting a power supply with a side-mounted fan and enclosure cover and IEC 60320-1 type appliance inlet connector; - T denoting a power supply with a top-mounted fan and enclosure cover, and blank denoting the standard base model; only bottom U-channel type with no added fan.



Gaustadalléen 30
NO-0373 Oslo, Norway

Date: 16-12-2015

A handwritten signature in blue ink that reads "Juan Z. Kleppenes".

Signature: Juan Z. Kleppenes
Certification Department