



NOTICE OF AUTHORIZATION TO APPLY THE UL MARK

12/15/2010

Red Rocket Inc
Mr. Nigel D'souza
Unit 200
1540 Cornerstone Blvd
Daytona Beach FL 32117, Us

Our Reference: File E150565, Vol. X1 Project Number 10CA43997
Your Reference: D'SOUZA, NIGEL MR.
Project Scope: UL, cUL

Dear Mr. Nigel D'souza:

UL's investigation of your product(s) has been completed under the above Reference Number and the product was determined to comply with the applicable requirements.

This letter temporarily supplements the UL Follow-Up Services Procedure and serves as authorization to apply the UL Mark only at authorized factories under UL's Follow-Up Service Program.

To provide the manufacturer with the intended authorization to use the UL Mark, the addressee must send a copy of this notice to each manufacturing location currently authorized in File E150565, Vol. X1.

This authorization is effective from the date of this Notice and only for products at the indicated manufacturing locations. Records in the Follow-Up Services Procedure covering the product are now being prepared and will be sent in the near future. Until then, this letter authorizes application of the UL Mark for 90 days from the date of this letter.

Products that bear the UL Mark shall be identical to those that were evaluated by UL and found to comply with UL's requirements. If changes in construction are discovered, appropriate action will be taken for products not in conformance with UL's requirements and continued use of the UL Mark may be withdrawn. UL may elect to withdraw use of the UL Mark if the Applicant or Manufacturer fails to comply with UL's requirements including ongoing compliance of the product, under UL's Follow-Up Service.



Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.

The contents of this Letter are intended solely for the use of UL and the Applicant. The opinions and findings of UL represent its judgment given with due consideration to the necessary limitations of practical operation in accordance with UL's objectives and purposes. UL shall not otherwise be responsible for the use of or reliance upon the contents of this letter by anyone. UL shall not incur any obligation or liability for any loss, expense or damages, including incidental, consequential or punitive damages, arising out of or in connection with the use or reliance upon the contents of this letter to anyone other than the Applicant as provided in the agreement between UL and Applicant. Any use or reference to UL's name or certification mark(s) by anyone other than the Applicant in accordance with the agreement is prohibited without the express written approval of UL.

Very truly yours,


Joyline Jacob
+91 80 4138 4522
Project Handler I
Joyline.Jacob@in.ul.com

CC: CELETRONIX POWER (INDIA) PVT LTD, MR.
NIGEL D'SOUZA

BNGD3AD-4CD930

Reviewed by:

Saurabh Nag
+ 91 80 41384440
Engineering Leader
Saurabh.Nag@in.ul.com



UL TEST REPORT AND PROCEDURE

Standard:	UL 60950-1, 2nd Edition, 2007-03-27 (Information Technology Equipment - Safety - Part 1: General Requirements) CSA C22.2 No. 60950-1-07, 2nd Edition, 2007-03 (Information Technology Equipment - Safety - Part 1: General Requirements)
Certification Type:	Component Recognition
CCN:	QQGQ2, QQGQ8 (Power Supplies for Information Technology Equipment Including Electrical Business Equipment)
Product:	Power Supply
Model:	VLT130-ZXXX where Z is any number 1-4 and X is any number
Rating:	Input: 100-120/200-240 V ac, 50-60 Hz, 2.9 A Output (Convection): P1: 12-24 V dc, 1 A, 12 W max; P2: 1.5-48 V dc, 10 A, 33 W max; P5: 1.5-48 V dc, 10 A, 51 W max; P6: -12-24 V dc, 1 A, 12 W max; P2+P5: 1.5-3.3 V dc, 20 A, 66 W max; P2+P5: 3.3-48 V dc, 16 A, 80 W max. Output (Forced Air): P1: 12-24 V dc, 4 A, 48 W max; P2: 1.5-48 V dc, 16 A, 53 W max; P5: 1.5-48 V dc, 14 A, 71 W max; P6: 12-24 V dc, 4 A, 48 W max; P2+P5: 1.5-3.3 V dc, 32 A, 106 W; P2+P5: 3.3-48 V dc, 25.5 A, 130 W max.
Applicant Name and Address:	RED ROCKET INC UNIT 200 1540 CORNERSTONE BLVD DAYTONA BEACH FL 32117 UNITED STATES

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of Underwriters Laboratories Inc. (UL) in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.

Prepared by: Joyline Jacob
Underwriters Laboratories Inc.
Reviewed by: Saurabh Nag
Underwriters Laboratories Inc.

